Notice of Allowability	Application No.	Applicant(s)
	10/770,618	BLOCKER, TED
	Examiner	Art Unit
	Susan C. Alimenti	3644
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to communicaitons filed 1/23/06, and phone communications on 2/16/06.		
2. The allowed claim(s) is/are <u>5,11,15 and 23</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	•	·
Attachment(s)		Andread Appellands (DTO 450)
1. Notice of References Cited (PTO-892)	_	ratent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 ✓ 6. Interview Summary Paper No./Mail Date	te
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	08), _ 7. ⊠ Examiner's Amendr	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	, 8. ⊠ Examiner's Stateme	ent of Reasons for Allowance

Application/Control Number: 10/770,618

Art Unit: 3644

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr Steve Hudnut on 16 February 2006.

The application has been amended as follows:

Claim 23 has been amended by adding the phrase, --across a portion of the opening, -in line 5, after the word "extending."

The following is an examiner's statement of reasons for allowance: The prior art made of record fails to show a method and device for retaining a lead line for hitching an animal, wherein the device comprises a frame and a retaining member having a surface configured to engage the lead line, said surface extending across an opening in the frame, and at an angle relative to the opening, such that a portion of the surface is disposed proximate an interior portion of the opening, further from the peripheral region of the opening. Further where the device is connected to a stationary object via an eyebolt structure.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Page 3

Application/Control Number: 10/770,618

Art Unit: 3644

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Susan C. Alimenti whose telephone number is 571-272-6897.

The examiner can normally be reached on Monday-Friday, 9am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Teri Luu can be reached on 571-272-7045. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Susan C. Alimenti

PETER M. POON

That on Vo

SUPERVISORY PATENT EXAMINER

2/2//06